

1.RCGF12-12-6 Washing Filling Capping Machine



Description:

These series of machines integrate washing, filling and capping into one unit, can be used in production of non-soda drink of pure water , fruit juice, fruit wine, and mineral water.

Parameters:

Model	RCGF12-12-6
Production Capacity (500ml)(b/h)	2000-4000
Way of filling	Hot filling
Filling precision	±5mm
Feedback consumption	≤8%
Polyester bottle standard(mm)	Bottle Diameterf50-f92;Height:150-320
Suitable cap shape	Plastic cap
Water pressure of washing bottle(Mpa)	0.2-0.25
Water consumption for water bottle(kg/h)	800
Gas source pressure (M Pa)	0.4
Total power(Kw)	3.2
Total Weight(Kg)	2000
Dimension(L*W*Hmm)	1900*1500*2500

2.Sleeve Shrink Labeling Machine



Description:

- 1.This machine Single Contraction Label Feeding Tray :Automatically controlled by micro-computer.Automatic detection
- 2.This machine adopts PLC, positioning module, servo motor and frequency converter. Besides ,its touch screen is featured with a humanized operation.
- 3.Applicable Bottle Types: Various kinds of bottle types ,for example: round bottle, square bottle ,flat bottle, covered bottle and cup-shaped, etc.

Main Technical Specifications

Model	PM-150
Input Power	1.5kw
Input Voltage	380/220VAC
Production Efficiency	150B/Min
Size of Host Machine	2100L×850W×2000H
Applicable Diameter of Bottle body	28mm~120mm
Applicable Length of Label	30mm~250mm
Applicable Thickness of label	0.03mm~0.13mm

3. Automatic Date Printing Machine



Description:

- 1.This machine could be made and printed on various flat surface materials such as paper, carton, plastic film, aluminum bags and non-adhesive agent label.
- 2.This machine introduce the technology of photoelectric integration, automatic temperature adjustment,paper prest and adjustable printed character.

Main Technical Specifications

Working speed(t/s)	<1400
Printing area(mm ²)	<2050
Letter Height(mm)	1-20(mm)
Machine dimensions	520*350*430
Temperature	5-45℃
Power Supply	AC220V 50HZ 100VA
Letter Lines	1-5 lines

4. Automatic heat shrink packaging machine



Description:

Combination packaging of products such as mineral water ,soft drinks, beer, liquor, injection bottles. The packaging doesn't need bottom support and the packaged products are fastened and beautiful.

Main Technical Specifications

Name:	Automatic shrink packaging machine without tray
Dimension mm:	L5050×W2100×H2100
Maximum packaging size mm:	L600×W400×H350
Size of shrink channel mm:	L3700×W920×H1800
Packaging speed	10-15 bags/min
Height of conveyor belt:	920(adjust 200)
Operating power	380V/220V 50Hz three-phase five-line
Operating pressure	0.6-0.8Mpa